Available online at www.sciencedirect.com
SCIENCE DIRECT®
Journal of Organometallic Chemistry 683 (2003) 443–445
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Contents of Volume 683

Special Issue: Recent Developments in Reactivity of Metal Allyl and Allkyl Complexes

Preface
M. Bochmann 1

Regular Papers

A counterintuitive, yet efficient synthesis of bis(indenyl)zirconium dihalides
D. Balboni, I. Camurati, A.C. Ingurgio, S. Guidotti, F. Focante, L. Resconi 2

Group 4 metallocene complexes incorporating vinyl or allyl substituted *ansa* ligands. X-Ray crystal structures of [Zr{Me(CH_2CH)Si(η^5-C_5Me_4)$_2$}Cl_2], [Zr{Me(CH_2CHCH_2)Si(η^5-C_5H_4)$_2$}Cl_2] and [Zr{Me(CH_2CHCH_2)Si(η^5-C_5Me_4)(η^5-C_5H_4)}Cl_2]
A. Antiñolo, M. Fajardo, S. Gómez-Ruiz, I. López-Solera, A. Otero, S. Prashar, A.M. Rodríguez 11

^{13}C-NMR study of Ti(IV) species formed by Cp*$TiMe_3$ and Cp*$TiCl_3$ activation with methylaluminoxane (MAO)
K.P. Bryliakov, N.V. Semikolenova, V.A. Zakharov, E.P. Talsi 23

Synthesis and characterization of cationic and zwitterionic allyl zirconium complexes derived from trimethylenemethane (TMM) cyclopentadienylzirconium acetamidinates
D.A. Kissounko, J.C. Fettinger, L.R. Sita 29

Reactions of $L_2Zr(NMe_2)_2$ with Me_3Al and PhCCH: synthesis and structural characterization of new zirconium carborane complexes [L_2 = $Me_2Si(C_9H_6)(C_2B_{10}H_{10})$ and $Me_2C(C_5H_4)(C_2B_{10}H_{10})$]
Y. Wang, H. Wang, H. Wang, H.-S. Chan, Z. Xie 39

Neodymium alk(aryl)oxides–dialkylmagnesium systems for butadiene polymerization and copolymerization with styrene and glycidyl methacrylate
J. Gromada, L. le Pichon, A. Mortreux, F. Leising, J.-F. Carpentier 44

α-Methyl-benzylcalcium complexes: syntheses, structures and reactivity
F. Feil, C. Müller, S. Harder 56

Synthesis and structure of the edge-bridged open zirconocene, $Zr(6,6\text{-dmch})_2(PMe_3)_2$ (dmch = dimethylcyclohexadienyl), and its imine coupling product
R. Basta, R.D. Ernst, A.M. Arif 64

Titanium and zirconium chloro, oxo and alkyl derivatives containing silyl-cyclopentadienyl ligands. Synthesis and characterisation
O. Buitrago, G. Jiménez, T. Cuenca 70

Preparation, structure, and dynamics of a nickel π-allyl cyanide complex
N.M. Brunkan, W.D. Jones 77

Synthesis and structures of crystalline lithium 1-azaallyls and a 1,3-diazaallyl derived from Li{$CH(SiMe_3)(SiMe_{3-n}(OMe)_n)$} ($n$=1 or 2) and Li{$CH(SiMe_2OMe)_2$} and RCN (R=^{t}Bu, Ph, 2,5-$Me_2C_6H_3$, or Ad)
P.B. Hitchcock, M.F. Lappert, X.-H. Wei 83

^{1}H-, ^{13}C-NMR and ethylene polymerization studies of zirconocene/MAO catalysts: effect of the ligand structure on the formation of active intermediates and polymerization kinetics
K.P. Bryliakov, N.V. Semikolenova, D.V. Yudaev, V.A. Zakharov, H.H. Brintzinger, M. Ystenes, E. Rytter, E.P. Talsi 92

Biaryl-bridged Schiff base complexes of zirconium alkyls: synthesis structure and stability
P.D. Knight, P.N. O'Shaughnessy, I.J. Munslow, B.S. Kimberley, P. Scott 103

The synthesis and X-ray structure of *trans*-$NiCl_2$(1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene)$_2$; attempts to polymerize olefins utilizing a nickel(II) complex of a sterically demanding *N*-heterocyclic carbene
A.L. MacKinnon, M.C. Baird 114

Elsevier B.V.
doi:10.1016/S0022-328X(03)00934-3

Organometallic and related imidotitanium compounds containing a pendant arm functionalised benzamidinate ligand
A.C.R. Croft, C.L. Boyd, A.R. Cowley, P. Mountford 120

Synthesis, structure and reactivity of new yttrium bis(dimethylsilyl)amido and bis(trimethylsilyl)methyl complexes of a tetradentate bis(phenoxide) ligand
C.-X. Cai, L. Toupet, C.W. Lehmann, J.-F. Carpentier 131

Structure and reactivity of mono- and dinuclear diiminate zinc alkyl complexes
S.D. Allen, D.R. Moore, E.B. Lobkovsky, G.W. Coates 137

Monomeric f-element chemistry with sterically encumbered allyl ligands
C.J. Kuehl, C.K. Simpson, K.D. John, A.P. Sattelberger, C.N. Carlson, T.P. Hanusa 149

Hydro- and chloro-substituted silyl- and silyl-η^1-amido-η^5-tetramethylcyclopentadienyl titanium complexes
A.B. Vázquez, P. Royo, E. Herdtweck 155

β-Diketiminate complexes of Group 4: active complexes for the isomerization of α-olefins and the polymerization of propylene towards elastomeric polypropylene
E. Shaviv, M. Botoshansky, M.S. Eisen 165

Theoretical exploration of structure–reactivity relationships in organometallic chemistry: butadiene insertion into the organyltransition-metal bond and conversion of the allyltransition-metal fragment in the [$Ni^{II}(\eta^5$-Cp)(η^1-phenyl)(η^2-butadiene)] complex
S. Tobisch, R. Taube 181

Homoleptic allyl complexes of chromium with trimethylsilylated ligands. Formation and molecular structure of $\{[1\text{-}(SiMe_3)C_3H_4]_2Cr\}_2$, $[1,3\text{-}(SiMe_3)_2C_3H_3]_2Cr$, and $[1,1',3\text{-}(SiMe_3)_3C_3H_2]_2Cr$
C.N. Carlson, J.D. Smith, T.P. Hanusa, W.W. Brennessel, V.G. Young Jr. 191

Coordination chemistry of the activation of $[(triazacyclohexane)CrCl_3]$ with $[PhNMe_2H][B(C_6F_5)_4]$ and AlR_3
R.D. Köhn, D. Smith, M.F. Mahon, M. Prinz, S. Mihan, G. Kociok-Köhn 200

Propylene bulk phase oligomerization with bisiminepyridine iron complexes in a calorimeter: mechanistic investigation of 1,2 versus 2,1 propylene insertion
S.T. Babik, G. Fink 209

Synthesis of dialkyl, diaryl and metallacyclic complexes of Ni and Pd containing pyridine, α-diimines and other nitrogen ligands: Crystal structures of the complexes *cis*-NiR_2py_2 (R=benzyl, mesityl)
J. Cámpora, M. del Mar Conejo, K. Mereiter, P. Palma, C. Pérez, M.L. Reyes, C. Ruiz 220

Photochemical synthesis of a palladium dichloromethyl complex, $\{(hexyl)HC(N\text{-methyl-imidazol-2-yl})_2\}Pd(CHCl_2)Cl$. X-ray molecular structures of $\{(hexyl)HC(N\text{-methylimidazolyl-2-yl})_2\}Pd(X)Cl$, X=Cl, and $CHCl_2$
C.T. Burns, H. Shen, R.F. Jordan 240

Preparation of chelate bis(imine)nickel allyl systems by reaction of their corresponding butadiene complexes with electrophiles
J.W. Strauch, G. Kehr, G. Erker 249

The molecular structure of $Cr[(CH_2)_2PMe_2]_3$: dimethylphosphonium-bis-methylide chromium compounds as inner-phosphonium-alkyl-ate- or 2-phospha-allyl-complexes?
A. Spannenberg, P. Arndt, W. Baumann, U. Rosenthal 261

Special Issue: Carbon-Rich Organometallic Compounds

Foreword 267

Reviews

New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules
U.H.F. Bunz 269

Organometallic chemistry at the edge of polycyclic aromatic hydrocarbons
P.R. Sharp 288

Regular Papers

Synthesis and catalytic activity of rhodium diene complexes bearing indenyl-type fullerene η^5-ligand
M. Toganoh, Y. Matsuo, E. Nakamura 295

A new method for the preparation of *N*-stabilized allenylidene complexes of chromium and tungsten
H. Fischer, N. Szesni, G. Roth, N. Burzlaff, B. Weibert 301

Molecular rearrangements of diynes coordinated to triosmium carbonyl clusters: the synthesis and structural characterisation of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$, $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$ and $[Os_3(\mu\text{-}H)(CO)_8(MeCN)\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$
L.P. Clarke, J.E. Davies, D.V. Krupenya, P.R. Raithby, G.P. Shields, G.L. Starova, S.P. Tunik 313

Tetrahydrofuran-mediated radical processes: stereoselective synthesis of D,L-hexestrol
G.G. Melikyan, S. Sepanian, B. Riahi, F. Villena, J. Jerome, B. Ahrens, R. McClain, J. Matchett, S. Scanlon, E. Abrenica, K. Paulsen, K.I. Hardcastle 324

Synthesis of $[TpRu(CO)(PPh_3)]_2(\mu\text{-}CHCHCHCHC_6H_4CHCHCHCH)$ from Wittig reactions
S.H. Liu, H. Xia, K.L. Wan, R.C.Y. Yeung, Q.Y. Hu, G. Jia 331

Expanding the scope of solvent-free synthesis: entrapment of thermally unstable species
E.V. Dikarev, N.S. Goroff, M.A. Petrukhina 337

Carbon-rich organometallic materials derived from 4-ethynylphenylferrocene
W.-Y. Wong, K.-Y. Ho, S.-L. Ho, Z. Lin 341

Synthesis, structure, electronic properties and thermal behavior of butadiynyl substituted phenyl$Cr(CO)_3$-complexes
T.J.J. Müller, J. Blümel 354

Chemistry of the 1,3,5,7-octatetraynediyl carbon rod end-capped by two electron-rich $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-}dppe)Fe$ groups
F. Coat, F. Paul, C. Lapinte, L. Toupet, K. Costuas, J.-F. Halet 368

Using ligand exchange reactions to control the coordination environment of Pt(II) acetylide complexes: applications to conjugated metallacyclynes
K. Campbell, R. McDonald, M.J. Ferguson, R.R. Tykwinski 379

Further studies of tetrakis(*N*,*N*′-dialkylbenzamidinato)diruthenium(III) chloro and alkynyl compounds: molecular engineering of metallayne monomers
G.-L. Xu, C.G. Jablonski, T. Ren 388

Preparation and molecular structures of some complexes containing C_5 chains
M.I. Bruce, B.W. Skelton, A.H. White, N.N. Zaitseva 398

Preparation of models and oligomers of metal alkynyls: NMR, GPC and X-ray structural characterization of building blocks for the construction of molecular devices
A. La Groia, A. Ricci, M. Bassetti, D. Masi, C. Bianchini, C. Lo Sterzo 406

The activation and transformations of acenaphthylene by osmium carbonyl cluster complexes
R.D. Adams, B. Captain, J.L. Smith Jr. 421

Note

Synthesis and crystallographic characterization of a 'palladadehydrobenzo[19]annulene'
J.J. Pak, O.S. Darwish, T.J.R. Weakley, M.M. Haley 430

Author Index of Volume 683 435
Subject Index of Volume 683 437
Contents of Volume 683 443